



RC-750

Brush Cutter and Slope Mower



Brush Cutter RC-750



When the grass is long...

When the grass is long and the terrain steep it is difficult if not impossible to mow or cut with a conventional mower. Shoulder mounted "brush cutters" are heavy and can be dangerous on steep ground.

With the TIMAN RC-750, which is characterised by its low height, self propelled tracks and remote control, even long grass can be safely cut with this heavy-duty flail mower.



The TIMAN RC-750 Brush Cutter can comfortably handle cow parsnip or other small shrubs and suckers, even up to 2 years old.

With a height of only 50 cm, the RC-750 can easily work under low trees.

With its 750 mm working width and low centre of gravity the TIMAN RC-750 is an ideal machine for working safely on difficult terrain and slopes of up to 58°.

Slope Mower *RC-750*



The out-front cut means that grass is cut before the tracks, and the full width cutting unit allows a close cut to walls and edges (especially on left hand side).

The RC-750 is equipped with a professionally approved remote control, with integrated emergency stop and other security functions.



At only 330 kg gross weight, the RC-750 can easily be transported by trailer or lorry.

The RC-750 is easily controlled on uneven ground due to the two independently suspended tracks allowing 4 points of ground contact at all times.

For changing flails and other maintenance work there is a service position for safe and easy working conditions.





The two tracks are independently suspended, which means that the entire unit has always contact with the ground at four points, even on uneven terrains. This makes the device easy to control, as it moves steadily and has a good ground grip even on uneven surfaces.

For the changing of flails or carrying out other maintenance work, the mower is placed in its service position, which provides excellent working conditions.



Technical data:

Motor - Honda	15 hp
Transmission to tracks	Hydraulic
Transmission to flailmower	Mechanical with el-coupling
Cutting width	750 mm
Weight	330 kg
Max working angle in all directions	58 degrees
Total length	1650 mm
Total width	870 mm
Total height	500 mm
Track footprint	800 mm

Manufacturer:
 Timan A/S
 Fabriksvej 13 · DK-6980 Tim · Denmark
 Telefon: +45 97 33 03 60
 Fax: +45 97 33 03 50
www.timan.dk

Dealer: